

SAFETY DATA SHEET

Manufactured and Distributed by:

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision Date 17-Feb-2025 Version 3

1. Identification

Product identifier

Product Name Rain-X 2-N-1 Glass Cleaner + Rain Repellent

Other means of identification

Product Code 626220A

Document SKU: 5071268, 5071268W, 630006W, 630537

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Glass cleaner Consumer Use

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

ITW Global Brands 16200 Park Row, Suite 120 Houston, TX 77084

Distributor May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Manufacturer Address

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

E-mail address SDS@itwgb.com

Emergency telephone number

Company Phone Number 1-855-888-1988

24-hour emergency phone number (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.) (RMPDC) 1-877-504-9352 (U.S.)

2. Hazard(s) identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3

Label elements



Warning

Hazard statements

Flammable liquid and vapor.

Precautionary Statements - Prevention

Obtain, read and follow all safety instructions before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower.

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Deionized Water	7732-18-5	80-100%	-	-
Acetone	67-64-1	3-7%	-	-

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Rinse mouth.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Acetone	TWA: 250 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	STEL: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-
		(vacated) STEL: 2400 mg/m ³	
	The acetone STEL does not		
		apply to the cellulose acetate	
		fiber industry. It is in effect for	
		all other sectors.	
		(vacated) STEL: 1000 ppm	

Chemical name	Alberta	British Columbia	Ontario	Quebec
Acetone	TWA: 500 ppm	TWA: 250 ppm	TWA: 250 ppm	TWA: 500 ppm
67-64-1	TWA: 1200 mg/m ³	STEL: 500 ppm	STEL: 500 ppm	TWA: 1190 mg/m ³
	STEL: 750 ppm			STEL: 1000 ppm
	STEL: 1800 mg/m ³			STEL: 2380 mg/m ³

Chemical name	Manitoba	New Brunswick	Newfoundland and	Nova Scotia
			Labrador	

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Acetone	TWA: 250 ppm	TWA: 250 ppm	TWA: 250 ppm	TWA: 250 ppm
	STEL: 500 ppm	STEL: 500 ppm	STEL: 500 ppm	STEL: 500 ppm

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Acetone	TWA: 500 ppm STEL: 750 ppm	TWA: 250 ppm STEL: 500 ppm	TWA: 500 ppm STEL: 750 ppm	TWA: 1000 ppm TWA: 2400 mg/m³ STEL: 1250 ppm STEL: 3000 mg/m³

Biological occupational exposure limits

Chemical name	ACGIH
Acetone	25 mg/L - urine (Acetone) - end of shift
67-64-1	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear to slightly hazy

Color Colorless
Odor Mild fruity

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available

pH 4.5-7.0

Melting point / freezing pointNo data availableBoiling point / boiling range100 °C / 212 °FFlash point28 °C / 82.4 °FEvaporation rateNot applicableFlammability (solid, gas)No data available

Flammability Limit in Air Upper flammability limit: No data available Lower flammability limit: No data available Vapor pressure Not Determined Vapor density No data available Relative density 0.994 g/cm3 Water solubility Soluble in water Solubility(ies) No Data Available **Partition coefficient** No Data Available No data available **Autoignition temperature** No data available **Decomposition temperature** No Data Available Kinematic viscosity

Other information

Dynamic viscosity

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening pointNo information availableMolecular weightNo information available

VOC content <1

Density 8.2619 - 8.3120 lbs/gal @ 70°F **Bulk density** No information available

10. Stability and reactivity

Reactivity Stable under normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact May cause redness and tearing of the eyes.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity .

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 116,000.00 mg/kg

 ATEmix (dermal)
 314,000.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 2,004.00 mg/l

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Deionized Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Acetone	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h
67-64-1			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetone	-	LC50: 4.74 - 6.33mL/L	-	EC50: 10294 -

67-64-1	(96h, Oncorhynchus	17704mg/L (48h,
	mykiss)	Daphnia magna)
	LC50: 6210 - 8120mg/L	EC50: 12600 -
	(96h, Pimephales	12700mg/L (48h,
	promelas)	Daphnia magna)
	LC50: =8300mg/L (96h,	
	Lepomis macrochirus)	

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Component information				
Chemical name	Partition coefficient			
Acetone	-0.24			
67-64-1				

Mobility Disperses in water.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

No information available. **US EPA Waste Number**

California waste information This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT

UN number or ID number UN 1993

Proper shipping name Flammable liquids, n.o.s. Acetone Limited Quantity (LQ)

Transport hazard class(es) Ш

Packing group

IATA

UN number or ID number UN 1993

UN proper shipping name Flammable liquid, n.o.s. Acetone Limited Quantity (LQ)

Transport hazard class(es) **ERG Code**

9L

IMDG

UN number or ID number UN 1993 **UN proper shipping name** Flammable liquid, n.o.s. Acetone Limited Quantity (LQ)

Transport hazard class(es) 3
Packing group | ||

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC KECI** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Acetone 67-64-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Deionized Water	-	-	X
7732-18-5			
Acetone 67-64-1	X	X	X
Diethylene glycol monobutyl ether 112-34-5	Χ	-	X
ACETIC ACID 64-19-7	Χ	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

Non-controlled

16. Other information

NFPA_	Health hazards 0	Flammability 3	Instability 0	Special hazards -
HMIS_	Health hazards 0	Flammability 3	Physical hazards 0	Personal protection B

Revision Date 17-Feb-2025

Revision Note 2.

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.